

Publication List

*印はcorrespondence author

Peer-reviewed Papers (査読付き論文)

(Letter to Editor =後ろに (letter) と示したものは含む) 英文 224、和文 44

268. Doi H, Fujisawa TX, Iwanaga R, Matsuzaki J, Kawasaki C, Tochigi M, Sasaki T, Kato N, Shinohara K. Association between single nucleotide polymorphisms in Estrogen Receptor 1/2 genes and Symptomatic Severity of Autism Spectrum Disorder. *Research in Developmental Disabilities* (in press).

267. Sugawara H, Murata Y, Ikegame T, Sawamura R, Shimanaga S, Takeoka Y, Saito T, Ikeda M, Yoshikawa A, Nishimura F, Kawamura Y, Kakiuchi C, Sasaki T, Iwata N, Hashimoto M, Kasai K, Kato T, Bundo M, Iwamoto K (2018) DNA methylation analyses of the candidate genes identified by a methylome-wide association study revealed common epigenetic alterations in schizophrenia and bipolar disorder. *Psychiatr Clin Neurosci* (in press).

266. Morimoto Y, Shimada-Sugimoto M, Otowa T, Yoshida S, Kinoshita A, Mishima H, Yamaguchi N, Mori T, Imamura A, Ozawa H, Kurotaki N, Ziegler C, Domschke K, Deckert J, Umekage T, Tochigi M, Kaiya H, Okazaki Y, Tokunaga K, Sasaki T, Yoshiura KI, Ono S. Whole-exome sequencing and gene-based rare variant association tests suggest that PLA2G4E might be a risk gene for panic disorder. *Transl Psychiatry*. 2018 Feb 2;8(1):41. doi: 10.1038/s41398-017-0088-0.

265. Yoshikawa A, Nishimura F, Inai A, Eriguchi Y, Nishioka M, Takaya A, Tochigi M, Kawamura Y, Umekage T, Kato K, Sasaki T, Ohashi Y, Iwamoto K, Kasai K, Kakiuchi C. Mutations of the glycine cleavage system genes possibly affect the negative symptoms of schizophrenia through metabolomic profile changes. *Psychiatr Clin Neurosci* (in press) 2017 [Epub ahead of print].

264. Yoshikawa A, Nishimura F, Inai A, Eriguchi Y, Nishioka M, Takaya A, Tochigi M, Kawamura Y, Umekage T, Kato K, Sasaki T, Kasai K, Kakiuchi C. Novel rare variations in genes which regulate the developmental change in N-Methyl-D-Aspartate receptor in patients with schizophrenia. *Hum Genome Variation* (in press) 2017.

263. Shimada M, Otowa T, Miyagawa T, Umekage T, Kawamura Y, Bundo M, Iwamoto K, Ikegame T, Tochigi M, Kasai K, Kaiya H, Tani H, Okazaki Y, Tokunaga K, Sasaki T. An epigenome-wide methylation study of healthy individuals with or without depressive symptoms. *J Hum Genet* (in press) 2017.

262. Yamasaki S, Usami S, Sasaki R, Koike S, Ando S, Kitagawa Y, Matamura M, Fukushima M, Yonehara H, Asukai N, Foo JC, Nishida A, Sasaki T*. (2017) The association between change of depression/anxiety and trajectories of psychotic-like experiences in a year among adolescents. *Schizophrenia Res*, Oct. 10, 2017 (in press).

261. Eriguchi Y, Kuwabara H, Inai A, Kawakubo, Nishimura F, Kakiuchi, Tochigi M, Ohashi J, Aoki, Kato K, Ishiura S, Mitsui, Tsuji S, Doi, Yoshimura, Morishima, Shimada T, Furukawa, Umekage T, Sasaki T, Kasai K, Kano Y. Identification of candidate genes involved in the etiology of sporadic Tourette Syndrome by exome sequencing. *Am J Med Genet (Neuropsychiatric Genetics)* (in press).

260. 小川佐代子、佐々木司. 一般青年における身体活動と不安・抑うつに関する関係について：近年の論文のレビューより. *精神科* (印刷中).

259. Endo K, Ando S, Shimodera S, Yamasaki S, Usami S, Okazaki Y, Sasaki T, Richards M, Hatch S, Nishida A. (2017) Preference for Solitude, Social Isolation, Suicidal Ideation, and Self-Harm in Adolescents. *J Adolesc Health*. Apr 27. pii: S1054-139X(17)30108-8. doi: 10.1016/j.jadohealth.2017.02.018. [Epub ahead of print]

258. Ando S, Koike S, Shimodera S, Fujito R, Sawada K, Terao T, Furukawa TA, Sasaki T, Inoue S, Asukai N, Okazaki Y, Nishida A (2017) Lithium levels in tap water and the mental health problems of adolescents: an individual-level cross-sectional survey. *J Clin Psychiatr* 78(3):e252-e256. doi: 10.4088/JCP.15m10220 [Epub ahead of print]

257. Haycock PC, Burgess S, Nounu A, Zheng J, Okoli GN, Bowden J, Wade KH, Timpson NJ, Evans DM, Willeit P, Aviv A, Gaunt TR, Hemani G, Mangino M, Ellis HP, Kurian KM, Pooley KA, Eeles RA, Lee JE, Fang S, Chen WV, Law MH, Bowdler LM, Iles MM, Yang Q, Worrall BB, Markus HS, Hung RJ, Amos CI, Spurdle AB, Thompson DJ, O'Mara TA, Wolpin B, Amundadottir L, Stolzenberg-Solomon R, Trichopoulou A, Onland-Moret NC, Lund E, Duell EJ, Canzian F, Severi G, Overvad K, Gunter MJ, Tumino R, Svenson U, van Rij A, Baas AF, Bown MJ, Samani NJ, van t'Hof FN, Tromp G, Jones GT, Kuivaniemi H, Elmore JR, Johansson M, McKay J, Scelo G, Carreras-Torres R, Gaborieau V, Brennan P, Bracci PM, Neale RE, Olson SH, Gallinger S, Li D, Petersen GM, Risch HA, Klein AP, Han J, Abnet CC, Freedman ND, Taylor PR, Maris JM, Aben KK, Kiemeny LA, Vermeulen SH, Wiencke JK, Walsh KM, Wrensch M, Rice T, Turnbull C, Litchfield K, Paternoster L, Standl M, Abecasis GR, SanGiovanni JP, Li Y, Mijatovic V, Sapkota Y, Low SK, Zondervan KT, Montgomery GW, Nyholt DR, van Heel DA, Hunt K, Arking DE, Ashar FN, Sotoodehnia N, Woo D, Rosand J, Comeau ME, Brown WM, Silverman EK, Hokanson JE, Cho MH, Hui J, Ferreira MA, Thompson PJ, Morrison AC, Felix JF, Smith NL, Christiano AM, Petukhova L, Betz RC, Fan X, Zhang X, Zhu C, Langefeld CD, Thompson SD, Wang F, Lin X, Schwartz DA, Fingerlin T, Rotter JJ, Cotch MF, Jensen RA, Munz M, Dommisch H, Schaefer AS, Han F, Ollila HM, Hillary RP, Albagha O, Ralston SH, Zeng C, Zheng W, Shu XO, Reis A, Uebe S, Hüffmeier U, Kawamura Y, Otowa T, Sasaki T, Hibberd ML, Davila S, Xie G, Siminovitch K, Bei JX, Zeng YX, Försti A, Chen B, Landi S, Franke A, Fischer A, Ellinghaus D, Flores C, Noth I, Ma SF, Foo JN, Liu J, Kim JW, Cox DG, Delattre O, Mirabeau O, Skibola CF, Tang CS, Garcia-Barcelo M, Chang KP, Su WH, Chang YS, Martin NG, Gordon S, Wade TD, Lee C, Kubo M, Cha PC, Nakamura Y, Levy D, Kimura M, Hwang SJ, Hunt S, Spector T, Soranzo N, Manichaikul AW, Barr RG, Kahali B, Speliotes E, Yerges-Armstrong LM, Cheng CY, Jonas JB, Wong TY, Fogh I, Lin K, Powell JF, Rice K, Relton CL, Martin RM, Davey Smith G. Association between tolemer length and risk of cancer and non-neoplastic diseases: a Mendelian randomization study. *JAMA Oncology* (in press).

256. Shimada-Sugimoto M, Takeshi Otowa T, Taku Miyagawa T, Umekage T, Kawamura Y, Bundo M, Kazuya Iwamoto K, Tochigi M, Kasai K, Kaiya H, Tani H, Okazaki Y, Tokunaga K, Sasaki T. (2017) Epigenome-wide association study of DNA methylation in panic disorder. *Clinical Epigenetics* 9:6. doi: 10.1186/s13148-016-0307-1.

255. Kitagawa Y, Ando S, Yamasaki S, Foo JC, Okazaki Y, Shimodera S, Nishida A, Togo F, Sasaki T* (2017) Appetite loss as a potential predictor of suicidal ideation and self-harm in adolescents: a school-based study. *Appetite* 111:7-11. doi: 10.1016/j.appet.2016.12.026

254. Ikeda M, Takahashi A, Kamatani Y, Okahisa Y, Kunugi H, Mori N, Sasaki T, Ohmori T, Okamoto Y, Kawasaki H, Shimodera S, Kato T, Yoneda H, Yoshimura R, Iyo M, Matsuda K, Akiyama M, Ashikawa K, Kashiwase K, Tokunaga K, Kondo K, Saito T, Shimasaki A, Kawase K, Kitajima T, Matsuo K, Itokawa M, Someya T, Inada T, Hashimoto R, Inoue T, Akiyama K, Tani H, Arai H, Kanba S, Ozaki N, Kusumi I, Yoshikawa T, Kubo M, Iwata N: for the advanced Collaborative Study of Mood Disorder (COSMO) team. (2017) A genome-wide association study identifies two novel susceptibility loci and trans population polygenicity associated with bipolar disorder. *Mol Psychiatr* Jan 24. doi: 10.1038/mp.2016.259. [Epub ahead of print]

253. Fujikawa S, Ando S, Shimodera S, Koike S, Usami S, Toriyama R, Kanata S, Sasaki T, Kasai K, Okazaki Y, Nishida A (2016) The association of current violence from adult family members with adolescent bullying involvement and suicidal feelings. PLoS ONE 11(10):e0163707. doi: 10.1371/journal.pone.0163707.

252 種市摂子、東郷史治、小塩靖崇、北川裕子、佐々木司。(2016) 抑うつと心肺持久力との関連：疫学研究の知見から。産業精神保健 24: 387-392.

251. Fujisawa TX, Nishitani S, Iwanaga R, Matsuzaki J, Kawasaki C, Tochigi M, Sasaki T, Kato N, Shinohara K. (2016) Association of Aryl Hydrocarbon Receptor-Related Gene Variants with the Severity of Autism Spectrum Disorders. Front Psychiatry ;7:184.

250. 小塩靖崇, 芦川恵美, 道上恵美子, 布山タルト, 大沼久美子, 種市節子, 東郷史治, 佐々木司(2016) 学校の教員向けメンタルヘルスリテラシー教育プログラムの効果検証. 精神科 29(4):358-366.

249. Otowa T, Kawamura Y, Tsutsumi A, Kawakami N, Kan C, Shimada T, Umekage T, Kasai K, Tokunaga K, Sasaki T (2016) The first pilot genome-wide gene-environment study of depression in the Japanese population. PLoS ONE 11(8):e0160823. doi: 10.1371/journal.pone.0160823.

248. Kanata S, Koike S, Ando S, Nishida A, Usami S, Yamasaki S, Morimoto Y, Toriyama R, Fujikawa S, Sugimoto N, Sasaki T, Furukawa TA, Hiraiwa-Hasegawa M, Kasai K.(2016) Enuresis and Hyperactivity-Inattention in Early Adolescence: Findings from a Population-Based Survey in Tokyo (Tokyo Early Adolescence Survey). PLoS ONE 11(7):e0158786. doi: 10.1371/journal.pone.0158786. eCollection 2016

247. Yamasaki S, Ando S, Shimodera S, Endo K, Okazaki Y, Asukai N, Usami S, Nishida A, Sasaki T (2016) The recognition of mental illness, schizophrenia identification, and help-seeking from friends in late adolescence. PLoS ONE. 11(3):e0151298. doi: 10.1371

246. Shimada-Sugimoto M, Otowa T, Miyagawa T, Khor SS, Omae Y, Toyo-Oka L, Sugaya N, Kawamura Y, Umekage T, Miyashita A, Kuwano R, Kaiya H, Kasai K, Tanii H, Okazaki Y, Tokunaga K, Sasaki T (2016) Polymorphisms in the TMEM132D region are associated with panic disorder in HLA-DRB1*13:02-negative individuals of a Japanese population. Hum Genome Var 25;3:16001. doi: 10.1038/hgv.2016.1. eCollection 2016.

245. Yamasaki S, Ando S, Koike S, Usami S, Endo K, French P, Sasaki T, Furukawa TA, Hasegawa-Hiraiwa M, Kasai K, Nishida A. (2016) Dissociation mediates the relationship between peer victimization and hallucinatory experiences among early adolescents. Schizophrenia Research: Cognition 4:18.

244. 北川裕子, 佐々木司 (2016) タブレット端末を活用した思春期児童生徒の精神保健アセスメントの試み：保健室での模擬実施で得られた評価の報告。精神科 29: 63-72.

243. Ojio Y, Nishida A, Shimodera S, Togo F, Sasaki T* (2016) Sleep duration associated with the lowest risk of depression/anxiety in adolescents. SLEEP 39:1555-62. doi: 10.5665/sleep.6020.

242. Miyagawa T, Yamasaki M, Toyoda H, Khor S-S, Liu X, Kuwabara H, Kano Y, Shimada T,

Sugiyama T, Nishida H, Sugaya N, Tochigi M, Otowa T, Okazaki Y, Kaiya H, Kawamura Y, Miyashita A, Kuwano R, Kasai K, Tanii H, Sasaki T, Honda M, Tokunaga K (2016) Evaluation of polygenic risks for narcolepsy and essential hypersomnia. *J Hum Genet* 61(10):873-878. doi: 10.1038/jhg.2016.65.

241. Inai A, Tochigi M, Kuwabara H, Nishimura F, Kato K, Eriguchi Y, Shimada T, Furukawa M, Kawamura Y, Sasaki T, Kakiuchi C, Kasai K, Kano Y (2015) Analysis of SLITRK1 in Japanese patients with Tourette syndrome using a next-generation sequencer. *Psychiatr Genet* 25(6):256-8. doi: 10.1097/YPG.0000000000000104.

240. Howe AS, Buttenschøn HN, Bani-Fatemi A, Maron E, Otowa T, Erhardt A, Binder E, Gregersen N, Mors O, Woldbye D, Domschke K, Reif A, Shlik J, Koks S, Kawamura Y, Miyashita A, Kuwano R, Tokunaga K, Tanii H, Smoller JW, Sasaki T, De Luca V, Koszycki D. (2015) Candidate genes in panic disorder: Meta-analyses of 23 common variants in major anxiogenic pathways. *Mol Psychiatry* 2015. Sep 22. doi: 10.1038/mp.2015.138. [Epub ahead of print].

239. Kinoshita A, Takizawa R, Koike S, Satomura Y, Kawasaki S, Kawakubo Y, Marumo K, Tochigi M, Sasaki T, Nishimura Y, Kasai K. (2015) Effect of metabotropic glutamate receptor-3 variants on prefrontal brain activity in schizophrenia : An imaging genetics study using multi-channel near-infrared spectroscopy. *Prog Neuropsychopharmacol Biol Psychiatry* 62 :14-21.

238. Liu X, Shimada T, Otowa T, Wu Y-Y, Kawamura Y, Tochigi M, Iwata Y, Umekage T, Toyota T, Maekawa M, Iwayama Y, Suzuki Y, Kakiuchi C, Kuwabara H, Kano Y, Nishida H, Sugiyama T, Kato N, Chen C-H, Mori N, Yamada K, Yoshikawa T, Kasai K, Tokunaga K, Sasaki T*, Gau S S-F* (2015) Genome-wide association study of autism spectrum disorder in the East Asian populations. *Autism Res* 9(3):340-9. doi: 10.1002/aur.1536.

237. Tochigi M**, Usami S**, Matamura M**, Kitagawa Y, Fukushima M, Yonehara H, Togo F, Nishida A, Sasaki T* (2016) Annual longitudinal survey at up to five time points reveals reciprocal effects of bedtime delay and depression/anxiety in adolescents. *Sleep Med* 17:81-6. doi: 10.1016/j.sleep.2015.08.024. **These three contributed equally to the work.

236. Liu X, Kawashima M, Miyagawa T, Otowa T, Latt K, Thiri M, Nishida H, Sugiyama T, Tsurusaki Y, Matsumoto N, Mabuchi A, Tokunaga K, Kato N, Sasaki T (2015) Novel rare variations of oxytocin receptor gene in autism spectrum disorder individuals. *Human Genome Variation*. 2, 15024 ; doi :10.1038/hgv.2015.24. [Epub ahead of print]

235. Yokoyama C, Kaiya H, Kumano H, Kinou M, Umekage T, Yasuda S, Takei K, Nishikawa M, Sasaki T, Nishimura Y, Hara N, Inoue K, Kaneko Y, Suzuki S, Tanii H, Okada M, Okazaki Y. (2015) Dysfunction of ventrolateral prefrontal cortex underlying social anxiety disorder : A multi-channel NIRS study. *NeuroImage : Clinical*. 8 :455-461. doi.org/10.1016/j.nicl.2015.05.011.

234. Ojio Y, Yonehara H, Taneichi S, Yamasaki S, Ando S, Togo F, Nishida A, Sasaki T* (2015) Effects of school-based mental health literacy education for secondary school students to be delivered by school teachers: a preliminary study. *Psychiatry Clin Neurosci*. ;69(9):572-9. doi: 10.1111/pcn.12320.

233. Kim J, Nakamura T, Kikuchi H, Yoshiuchi K, Sasaki T, Yamamoto Y* (2015) Co-Variation of Depressive Mood and Spontaneous Physical Activity in Major Depressive Disorder: Towards Continuous Monitoring of Depressive Mood. *IEEE Journal of Biomedical and Health Informatics* 19, 1347.

232. Toyoda H, Miyagawa T, Koike A, Kanbayashi T, Imanishi A, Sagawa Y, Kotorii N, Kotorii T, Hashizume Y, Ogi K, Hiejima H, Kamei Y, Hida A, Miyamoto M, Imai M, Fujimura Y, Tamura Y, Ikegami A, Wada Y, Moriya S, Furuya H, Takeuchi M, Kirino Y, Meguro A, Remmers E, Kawamura Y, Otowa T, Miyashita A, Kashiwase K, Khor S, Yamasaki M, Kuwano R, Sasaki T, Ishigooka J, Kuroda K, Kume K, Chiba S, Yamada N, Okawa M, Hirata K, Mizuki N, Uchimura N, Shimizu T, Inoue Y, Honda Y, Mishima K, Honda M, Tokunaga K. (2015) A polymorphism in CCR1/CCR3 is associated with narcolepsy. *Brain, Behavior, and Immunity* 15. pii: S0889-1591(15)00129-4. doi.org/10.1016/j.bbi.2015.05.003.

231. Sugaya N, Yoshida E, Yasuda S, Tochigi M, Takei K, Otowa T, Umekage T, Konishi Y, Sakano Y, Nomura S, Okazaki Y, Kaiya H, Tani H, Sasaki T (2015) Anger tendency may be associated with duration of illness in panic disorder. *BioPsychoSocial Medicine*. doi 10.1186/s13030-015-0035-3.

230. Shimada-Sugimoto M, Otowa T, Miyagawa T, Khor S-S, Kashiwase K, Sugaya N, Kawamura Y, Umekage T, Kojima H, Saji H, Miyashita A, Kuwano R, Kaiya H, Kasai K, Tani H, Tokunaga K, Sasaki T.(2015) Immune-related pathways including HLA-DRB1 *13 :02 are associated with panic disorder. *Brain, Behavior, and Immunity*;46:96-103. doi: 10.1016/j.bbi.2015.01.002.

229. Ikeda M, Yoshimura R, Hashimoto R, Kondo K, Saito T, Shimasaki A, Ohi K, Tochigi M, Kawamura Y, Nishida N, Miyagawa T, Sasaki T, Tokunaga K, Kasai K, Takeda M, Nakamura J, Ozaki N, Iwata N (2015) Genetic overlap between antipsychotic response and susceptibility to schizophrenia. *J Clin Psychopharmacol* 35:85-8. doi: 10.1097

228. Nishida A, Shimodera S, Sasaki T, Richards M, Hatch SL, Yamasaki S, Usami S, Ando S, Asukai N, Okazaki Y (2014) Risk for suicidal problems in poor-help-seeking adolescents with psychotic-like experiences : findings from a cross-sectional survey of 16,131 adolescents. *Schizophrenia Res* 159 (2-3): 257-62. doi: 10.1016/j.schres.

227. Taneichi S, Togo F, Sasaki T (2014) Is the walking campaign effective for depressive symptoms? *Open Journal of Psychiatry* 4:

226. Shiraishi N, Nishida A, Shimodera S, Sasaki T, Oshima N, Watanabe N, Akechi T, Furukawa TA, Okazaki Y (2014) Relationship between Violent Behavior and Repeated Weight-Loss Dieting among Female Adolescents in Japan. *PLoS One* 11:e107744. doi: 10.1371.

225. Kitagawa Y, Shimodera S, Togo F, Okazaki Y, Nishida A, Sasaki T* (2014) Suicidal feelings interfere with help-seeking in bullied adolescents. *PLoS One* 11:e106031. doi: 10.1371

224.小松智賀、武井邦夫、吉田栄治、貝谷久宣、佐々木司 (2014) パニック障害における睡眠習慣と精神的健康度の関連について. *不安症研究* 6(1): 17-24.

223. Konishi Y, Tani H, Otowa T, Sasaki T, Motomura E, Fujita A, Umekage T, Tochigi M, Kaiya H, Okazaki Y, Okada M (2014) Gender-specific association between the COMT Val158Met polymorphism and openness to experience in panic disorder patients. *Neuropsychobiology* 69(3):165-74. doi: 10.1159/000360737.

222. Matamura M#, Tochigi M#, Usami S#, Yonehara H, Fukushima M, Nishida A, Togo F, Sasaki T* (# equally contributing to the study). (2014) Associations between sleep habits and mental health status and suicidality in a longitudinal survey of monozygotic-twin adolescents. *J Sleep Res* 23:292-6.

221. Konishi Y, Tani H, Otowa T, Sasaki T, Tochigi M, Umekage T, Motomura E, Shiroyama T, Kaiya H, Okazaki Y, Okada M. (2014) Gene × gene × gender interaction of BDNF and COMT

genotype associated with panic disorder. *Progress Neuro-Psychopharmacol Biol Psychiatry*. 51, 119-254.

220. Yamasaki M, Miyagawa T, Toyoda H, Khor S, Koike A, Nitta A, Akiyama K, Sasaki T, Honda M, Tokunaga K. (2014) Genome-wide analysis of CNV (copy number variation) and their associations with narcolepsy in a Japanese population. *J Human Genet* 59(5):235-40. doi: 10.1038.

219. Saito Y, Suga M, Tochigi M, Abe O, Yahata N, Kawakubo Y, Liu X, Kawamura Y, Sasaki T, Kasai K, Yamasue H (2014) Neural correlate of autistic-like traits and a common allele in the oxytocin receptor gene. *Social Cognitive and Affective Neuroscience* 9(10):1443-50.

218. Konishi Y, Tani H, Otowa T, Sasaki T, Kaiya H, Okada M, Okazaki Y. (2014) The association of BDNF Val66Met polymorphism with trait anxiety in panic disorder. *The Journal of Neuropsychiatry and Clinical Neurosciences*. 26(4) :344-351.

217. 股村美里、小塩靖崇、北川裕子、福島昌子、米原裕美、東郷史治、西田淳志、佐々木司 (2014) 中高生の子どものパニック発作と睡眠習慣に関する検討. *不安障害研究* 5(2) : 102-109.

216. 小塩靖崇、東郷史治、佐々木司 (2014) 学校精神保健リテラシー教育の効果検証と各国の現状に関する文献レビュー. *学校保健研究* 52(4):325-333.

215. Kanazawa T, Ikeda M, Glatt SJ, Tsutsumi A, Kikuyama H, Kawamura Y, Nishida N, Miyagawa T, Hashimoto R, Takeda M, Sasaki T, Tokunaga K, Koh J, Iwata N, Yoneda H (2013) Genome-wide association study of atypical psychosis. *Am J Med Genet B Neuropsychiatr Genet* 162B(7):679-86. doi: 10.1002/ajmg.b.32164

214. Watanabe Y, Iijima Y, Egawa J, Nunokawa A, Kaneko N, Arinami T, Ujike H, Inada T, Iwata N, Kunugi H, Itokawa M, Sasaki T, Ozaki N, Hashimoto R, Shibuya M, Igeta H, Someya T. (2013) Replication in a Japanese population that a MIR30E gene variation is associated with schizophrenia. *Schizophr Res*;150(2-3):596-7. doi: 10.1016/j.schres.2013.08.028. Epub 2013 Sep 8.

213. 北川裕子、小塩靖崇、股村美里、佐々木司、東郷史治(2013) 学校におけるいじめ対策教育-フィンランドのKiVaに注目して- *不安障害研究* 5(1): 31-38.

212. 小塩靖崇、北川裕子、股村美里、佐々木司、東郷史治 (2013) 不安・抑うつ、精神疾患に関する英国の学校教育 *不安障害研究* 5(1): 39-48

211. 股村美里、宇佐美慧、福島昌子、米原裕美、東郷史治、西田淳志、佐々木司 (2013) 中高生の睡眠習慣と精神的健康の変化に関する縦断的検討. *学校保健研究* 55, .186-197.

210. Ikeda M, Okahisa Y, Aleksic B, Won M, Kondo N, Naruse N, Aoyama-Uehara K, Sora I, Iyo M, Hashimoto R, Kawamura Y, Nishida N, Miyagawa T, Takeda M, Sasaki T, Tokunaga K, Ozaki N, Ujike H, Iwata N (2013) Evidence for shared genetic risk between methamphetamine-induced psychosis and schizophrenia. *Neuropsychopharmacology* 38(10):1864-70. doi: 10.1038.

209. Ikegame T, Bundo M, Sunaga F, Asai T, Nishimura F, Yoshikawa A, Kawamura Y, Hibino H, Tochigi M, Kakiuchi C, Sasaki T, Kato T, Kasai K, Iwamoto K (2013) DNA methylation analysis of BDNF gene promoters in peripheral blood cells of schizophrenia patients. *Neuroscience Research* 77(4):208-14. doi:10.1016/j.neures.2013.08.004.

208. Sugaya N, Yoshida E, Yasuda S, Tochigi M, Takei K, Otani T, Otowa T, Minato T, Umekage T,

Sakano Y, Chen J, Shimada H, Nomura S, Okazaki Y, Kaiya H, Tanii H, Sasaki T. (2013) Irritable bowel syndrome, its cognition, anxiety sensitivity, and anticipatory anxiety in panic disorder patients. *67(6)*, 397-404, *Psychiatry Clin Neurosci* 67(6):397-404. doi: 10.1111

207. Kawamura Y*, Takahashi T, Liu X, Nishida N, Noda Y, Yoshikawa A, Umekage T, Sasaki T (2013) Variation in the *DRD2* gene affects impulsivity in intertemporal choice. *Open Journal of Psychiatry*, 3, 26-31 *OJPsych* doi:10.4236/ojpsych.2013.31005 Published Online January 2013 (<http://www.scirp.org/journal/ojpsych/>)

206. Ando S, Yamasaki S, Shimodera S, Sasaki T, Oshima N, Furukawa TA, Asukai N, Kasai K, Mino Y, Inoue S, Okazaki Y, Nishida A. (2013) A greater number of somatic pain sites is associated with poor mental health in adolescents: a cross-sectional study. *BMC Psychiatry* 13:30 doi:10.1186.

205. Khor SS, Miyagawa T, Toyoda H, Yamasaki M, Kawamura Y, Tanii H, Okazaki Y, Sasaki T, Lin L, Faraco J, Rico T, Honda Y, Honda M, Mignot E, Tokunaga K (2013) Genome-wide association study of HLA-DQB1*06:02 negative essential hypersomnia. *PeerJ* 16;1:e66. doi: 10.7717.

204. Furukawa M, Tochigi M, Otowa T, Arinami T, Inada T, Ujike H, Watanabe Y, Iwata N, Itokawa M, Kunugi H, Hashimoto R, Ozaki N, Kakiuchi C, Kasai K, Sasaki T (2013) An association analysis of the cardiomyopathy-associated 5 (CMYA5) gene with schizophrenia in a Japanese population. *Psychiatr Genet* 23(4):179-80.

203. Sugaya N, Yoshida E, Yasuda S, Tochigi M, Takei K, Otani T, Otowa T, Minato T, Umekage T, Sakano Y, Chen J, Nomura S, Okazaki Y, Kaiya, H, Sasaki T*, Tanii H. (2013) Prevalence of bipolar disorder in panic disorder patients in the Japanese population. *J Affective Disorders* 147: 411-415.

202. Watanabe N, Nishida A, Shimodera S, Inoue K, Oshima N, Sasaki T, Inoue S, Akechi T, Furukawa TA, Okazaki Y(2012) Help seeking behaviors among Japanese school students who self-harm: Results from a self-report survey with 18,104 adolescents. *Neuropsychiatric Disease and Treatment* 8(2012) 561-9 doi: 10.2147/NDT.S37543 Epub 2012 Nov 22.

201. Tochigi M, Nishida A, Shimodera S, Inoue K, Okazaki Y, Sasaki T(2012) Season of birth effect on psychotic-like experiences in Japanese adolescents. *European Child and Adolescent Psychiatry* Feb;22(2):89-93. doi: 10.1007/s00787-012-0326-1. Epub 2012 Sep 17..

200. Kawamura Y, Takahashi T, Liu X, Nishida N, Tokunaga K, Ugawa K, Noda Y, Yoshikawa A, Shimada T, Umekage T, Sasaki T(2013) DNA polymorphism in the FKBP5 gene affects impulsivity in intertemporal choice. *Asia Pac Psychiatry* 03/2013; 1(5):31-38.

199. Tochigi M, Nishida A, Shimodera S, Oshima N, Inoue K, Okazaki Y, Sasaki T(2012) Irregular bedtime and nocturnal cellular phone usage as risk factors for being involved in bullying: A cross-sectional survey of Japanese adolescents. *PLoS ONE* 09/2012; 7(9):e45736..

198. Erhardt A, Akula N, Schumacher J, Czamara D, Karbalai N, Müller-Myhsok B, Mors O, Borglum A, Kristensen AS, Woldbye DPD, Koefoed P, Eriksson E, Maron E, Metspalu A, Nurnberger J, Philibert RA, Kennedy J, Domschke K, Reif A, Deckert J, Otowa T, Kawamura Y, Kaiya H, Okazaki Y, Tanii H, Tokunaga K, Sasaki T, Ioannidis JPA, McMahon FJ and Binder EB (2012) Replication and meta-analysis of TMEM132D gene variants in panic disorder. *Translational Psychiatry* 4;2:e156. doi: 10.1038.

197. Otowa T, Kawamura Y, Nishida N, Sugaya N, Yoshida Y, Inoue K, Yasuda S, Nishimura Y, Liu X, Konishi Y, Nishimura F, Shimada T, Tochigi M, Kakiuchi C, Umekage T, Miyagawa T, Miyashita A, Shimizu E, Akiyoshi J, Watanabe Y, Kato T, Yoshikawa T, Kuwano R, Kasai K, Kato N, Kaiya H,

Tokunaga K, Okazaki Y, Tanii H and Sasaki T*(2012) Meta-analysis of genome-wide association studies followed by a replication study implicates novel loci for panic disorder. *Translational Psychiatry* 13;2:e186. doi: 10.1038.

196. Oshima N, Nishida A, Shimodera S, Tochigi M, Ando S, Yamasaki S, Okazaki Y, Sasaki T. (2012) The Suicidal Feelings, Self-Injury, and Mobile Phone Use After Lights Out in Adolescents. *J Pediatr Psychol.* 37(9):1023-1030.

195. 種市摂子、梅景正、佐々木司、宮本幸一、福本正勝 (2012) 成人期における喫煙と抑うつ：職域でのメンタルヘルスとの関連を考える。 *産業精神保健* 20:127-134.

194. Kinoshita K, Kinoshita Y, Shimodera S, Nishida A, Inoue K, Watanabe N, Oshima N, Akechi T, Sasaki T, Inoue S, Furukawa TA, Okazaki Y (2012) Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents. *J Nerv Ment Dis.*200(4):305-9.

193. Furukawa T, Watanabe N, Kinoshita Y, Kinoshita K, Sasaki T, Nishida A, Okazaki Y, and Shimodera S. (2012) Public speaking fears and their correlates among 17,615 Japanese adolescents. *Asia-Pacific Psychiatry* 6(1):99-104. doi: 10.1111 .

192. Watanabe N, Nishida A, Shimodera S, Inoue K, Oshima N, Sasaki T, Inoue S, Akechi T, Furukawa TA, Okazaki Y. (2012) Deliberate Self-Harm in Adolescents Aged 12-18: A Cross-Sectional Survey of 18,104 Students. *Suicide Life Threat Behav* 42(5):550-560.

191. Takamoto M, Kaburaki T, Mabuchi A, Araie M, Amano S, Aihara M, Tomidokoro A, Iwase A, Mabuchi F, Kashiwagi K, Shirato S, Yasuda N, Kawashima H, Nakajima F, Numaga J, Kawamura Y, Sasaki T, and Tokunaga K. (2012) Common Variants on Chromosome 9p21 are Associated with Normal Tension Glaucoma. *PloS ONE* 7(7):e40107. doi: 10.1371.

190. Okada Y, Terao C, Ikari K, Kochi Y*, Ohmura K*, Suzuki A, Kawaguchi T, Stahl E, Kurreman F, Nishida N, Ohmiya H, Myouzen K, Takahashi M, Sawada T, Nishioka Y, Yukioka M, Matsubara T, Wakitani S, Teshima R, Tohma S, Takasugi K, Shimada K, Murasawa A, Honjo S, Matsuo K, Tanaka H, Tajima K, Suzuki T, Iwamoto T, Kawamura Y, Tanii H, Okazaki Y, Sasaki T, Gregersen K. P, Padyukov L, Worthington J, Siminovitch A. K, Lathrop M, Taniguchi A, Takahashi A, Tokunaga K, Kubo M, Nakamura Y, Kamatani N, Mimori T, Plenge M. R, Yamanaka H, Momohara S, Yamada R, Matsuda F, and Yamamoto K. (2012) Meta-analysis identifies nine new loci associated with rheumatoid arthritis in the Japanese population. *Nature Genetics* 44(5):511-6.

189. Nishimura Y, Takizawa R, Koike S, Tochigi M, Sasaki T, Yoshikawa T, Kasai K (2011) Association between EGR3 gene polymorphism and prefrontal hemodynamic response during cognitive task in patients with schizophrenia. *Neurosci Res* 71(09/2011):e396-397.

188. Shimada T, Kitamoto A, Todokoro A, Ishii-Takahashi A, Kuwabara H, Kim S, Watanabe K, Minowa I, Someya T, Ohtsu H, Osuga Y, Kano Y, Kasai K, Kato N, Sasaki T* (2012) Parental age and assisted reproductive technology in autism spectrum disorders, attention deficit hyperactivity disorder, and Tourette syndrome in a Japanese population. *Research in Autism Spectrum Disorders* 6:500-507.

187. Kawakubo Y, Suga M, Tochigi M, Yumoto M, Itoh K, Sasaki T, Kano Y, Kasai K. Effects of metabotropic glutamate receptor 3 genotype on phonetic mismatch negativity. *PloS ONE.* 01/2011; 6(10):e24929.

186. Otowa T, Tochigi M, Umekage T, Ebisawa T, Kasai K, Kato N, Sasaki T. (2011) No association between CLOCK gene 3111C/T polymorphism and personality traits in healthy Japanese subjects. *Psychiatry Clin Neurosci.*;65(6):604
185. Kawamura Y, Otowa T, Koike A, Sugaya N, Yoshida E, Yasuda S, Inoue K, Takei K, Konishi Y, Tani H, Shimada T, Tochigi M, Kakiuchi C, Umekage T, Liu X, Nishida N, Tokunaga K, Kuwano R, Okazaki Y, Kaiya H, and Sasaki T. (2011) A genome-wide CNV association study on panic disorder in a Japanese population. *J Hum Genet* 56(12) :852-6.
184. Yamasue H, Suga M, Yahata N, Inoue H, Tochigi M, Abe O, Liu X, Kawamura Y, Rogers M A, Takei K, Yamada H, Aoki S, Sasak T, and Kasai K. (2011) Reply to “Neurogenetic Effects of OXTR rs2254298 in ther extended limbic system of healthy Caucasian adults.” *Biological Psychiatry* 70(9) :e41-e42.
183. Otowa T, Tochigi M, Kawamura Y, Sugaya N, Yoshida E, Inoue K, Yasuda S, Umekage T, Ebisawa T, Tani H, Kaiya H, Okazaki Y, Kato N and Sasaki T. (2011) An association analysis of Per2 with panic disorder in the Japanese population. *J Hum Genet* 56(10):748-50.
182. Kawamura Y, Liu X, Shimada T, Otowa T, Kakiuchi C, Akiyama T, Umekage T, Sasaki T (2011) Association between oxytocin receptor gene polymorphisms and autistic traits as measured by the Autism-Spectrum Quotient in a non-clinical Japanese population. *Asia Pac Psychiatry* 3(3):128-136.
181. Otowa T, Shimada T, Kawamura Y, Sugaya N, Yoshida E, Inoue K, Yasuda S, Liu X, Minato T, Tochigi M, Umekage T, Kasai K, Tani H, Okazaki Y, Kaiya H, Sasaki T (2011) Association analysis of RGS2 variants with panic disorder in a Japanese population. *Am J Med Genet.(Part B)* 156B (4) : 430-434.
180. Otowa T, Kawamura Y, Sugaya N, Yoshida E, Shimada T, Liu X, Tochigi M, Umekage T, Miyagawa T, Nishida N, Kaiya H, Okazaki Y, Tokunaga K, Sasaki T. (2011) Association study of PDE4B with panic disorder in the Japanese population. *Prog Neuropsychopharmacol Biol Psychiatry.*35 (2) : 545-9.
179. Kinoshita Y, Shimodera S, Nishida A, Kinoshita K, Watanabe N, Oshima N, Akechi T, Sasaki T, Inoue S, Furukawa TA, Okazaki Y. (2011) Psychotic-like experiences are associated with violent behavior in adolescents. *Schizophr Res.* 126(1-3):245-51.
178. Nakamura K, Enomoto H, Hnajima R, Shimizu E, Kawamura Y, Sasaki T, Hamada M, Matsuzawa D, Sutoh C, Shirota S, Terao Y, Ugawa Y. (2011) Quadri-pulse stimulation (QPS) induced LTP/LTD was not affected by Val66Met polymorphism in the brain-derived neurotrophic factor (BDNF) gene. *Neurosci Lett* 487(3) :264-7.
177. Adachi S, Tajima A, Quan J, Haino K, Yoshihara K, Masuzaki H, Katabuchi H, Ikuma K, Suginami H, Nishida N, Kuwano R, Okazaki Y, Kawamura Y, Sasaki T, Tokunaga K, Inoue I, Tanaka K. (2010) Meta-analysis of genome-wide association scans for genetic susceptibility to endometriosis in Japanese population. *J Hum Genet.* 5548(12) :816-21.
176. Inoue H, Yamasue H, Tochigi M, Abe O, Liu X, Kawamura Y, Takei K, Suga M, Haruyasu Yamada , Rogers MA, Aoki S, Sasaki T, Kasai K. (2010) Association between the oxytocin receptor gene (OXTR) and amygdalar volume in healthy adults. *Biological Psychiatry* 68:1066-72.

175. Kawamura Y, Liu X, Akiyama T, Shimada T, Otowa T, Sakai Y, Kakiuchi C, Umekage T, Sasaki T, Akiskal HS. (2010) The association between oxytocin receptor gene (OXTR) polymorphisms and affective temperaments, as measured by TEMPS-A. *J Affect Disord* 127 :31-7.
174. Inoue H, Yamasue H, Tochigi M, Takei K, Suga M, Abe O, Yamada H, Rogers MA, Aoki S, Sasaki T; Kasai K. (2010) Effect of tryptophan hydroxylase-2 gene variants on amygdalar and hippocampal volumes. *Brain Res* 1331:51-7.
173. Munesue T, Yokoyama S, Nakamura K, Anitha A, Yamada K, Hayashi K, Asaka T, Liu H-X, Jin D, Koizumi K, Islam M, Huang J-J, Ma W-J, Kim U-H, Kim S-J, Park K, Kim D-S, Kikuchi M, Ono Y, Nakatani H, Suda S, Miyachi T, Hirai H, Salmina A, Pichugina Y, Soumarokov A, Takei N, Mori N, Tsujii M, Sugiyama T, Yagi K, Yamagishi M, Sasaki T, Yamasue H, Kato N, Hashimoto R, Taniike M, Hayashi Y, Hamada J, Suzuki S, Ooi A, Noda M, Kamiyama Y, Kido M, Lopatina O, Hashii M, Amina S, Malavasi F, Huang EJ, Zhang J, Shimizu N, Yoshikawa T, Matsushima A, Minabe Y, Higashida H. (2010) Two genetic variants of CD38 in subjects with autism spectrum disorder and controls. *Neurosci Res* 67:181-191.
172. Amagane H, Watanabe Y, Kaneko N, Nunokawa A, Muratake T, Ishiguro H, Arinami T, Ujike H, Inada T, Iwata N, Kunugi H, Sasaki T, Hashimoto R, Itokawa M, Ozaki N, Someya T. (2010) Failure to find an association between myosin heavy chain 9, non-muscle (MYH9) and schizophrenia: a three-stage case-control association study. *Schizophr Res* 118:106-12
171. Inoue H, Yamasue H, Tochigi M, Suga M, Iwayama Y, Abe O, Yamada H, Rogers MA, Aoki S, Kato T, Sasaki T, Yoshikawa T, Kasai K. (2010) Functional (GT)_n polymorphisms in promoter region of N-methyl-d-aspartate receptor 2A subunit (GRIN2A) gene affect hippocampal and amygdala volumes. *Genes Brain Behav* 9:269-75
170. Kawamura Y, Akiyama T, Shimada T, Minato T, Umekage T, Noda Y, Ukawa K, Hashidume C, Sakai Y, Otowa T, Sasaki T, Akiskal HS. (2010) Six-year stability of affective temperaments as measured by TEMPS-A. *Psychopathology* 43:240-7.
169. Liu X, Kawamura Y, Shimada T, Otowa T, Koishi S, Sugiyama T, Nishida H, Hashimoto O, Nakagami R, Tochigi M, Umekage T, Kano Y, Miyagawa T, Kato N, Tokunaga K, Sasaki T* (2010) Association of the oxytocin receptor (OXTR) gene polymorphisms with autism spectrum. *J Hum Genet* 55:137-41.
168. Ebisawa T, Numazawa K, Shimada H, Izutsu H, Sasaki T, Kato N, Tokunaga K, Mori A, Honma KI, Honma S, Shibata S (2010) Self-sustained circadian rhythm in cultured human mononuclear cells isolated from peripheral blood. *Neurosci Res.* 66:223-227.
167. Ishiguro H, Horiuchi Y, Ishikawa M, Koga M, Imai K, Suzuki Y, Morikawa M, Inada T, Watanabe Y, Takahashi M, Someya T, Ujike H, Iwata N, Ozaki N, Onaivi ES, Kunugi H, Sasaki T, Itokawa M, Arai M, Niizato K, Iritani S, Naka I, Ohashi J, Kakita A, Takahashi H, Nawa H, Arinami T. (2010) Brain Cannabinoid CB2 receptor in schizophrenia. *Biol Psychiatry* 67:974-82
166. Nunokawa A, Watanabe Y, Kaneko N, Sugai T, Yazaki S, Arinami T, Ujike H, Inada T, Iwata N, Kunugi H, Sasaki T, Itokawa M, Ozaki N, Hashimoto R, Someya T. (2010) The dopamine D3 receptor (DRD3) gene and risk of schizophrenia: Case-control studies and an updated meta-analysis. *Schizophr Res* 116:61-7
165. Otowa T, Tani H, Sugaya N, Yoshida E, Inoue K, Yasuda S, Shimada T, Kawamura Y, Tochigi M, Minato T, Umekage T, Miyagawa T, Nishida N, Tokunaga K, Okazaki Y, Kaiya H, Sasaki T.

(2010) Replication of a genome-wide association study of panic disorder in a Japanese population. *J Hum Genet* 54:437-9.

164. 井野英江、飯田由美、佐々木司。(2009) 広汎性発達障害 (PDD) の大学生の学生生活に対する支援方法の検討. *臨床精神医学* 38:1779-88.

163. Oshima N, Nishida A, Fukushima M, Shimodera S, Kasai K, Okazaki Y, Sasaki T. (2010) Psychotic-like experiences (PLEs) and mental health status in twin and singleton Japanese high school students. *Early Intervention in Psychiatry*. 4:206-13

162. Kawamura Y, Takahashi Y, Akiyama Y, Sasaki T, Kako M. (2009) Reliability and validity of the Japanese version of the Child Abuse Potential Inventory (CAPI) abuse scale. *Asia Pac Psychiatry* 1:138-42.

161. Nishida A, Sasaki T, Tani H, Nishimura Y, Hara N, Inoue K, Yamada T, Takami T, Itokawa M, Okazaki Y. (2010) Psychotic-like experiences are associated with suicidal feelings and deliberate self-harm behaviors in community adolescents aged 12-15 years. *Acta Psychiatrica Scand* 121:301-7

160. Otowa T**, Shimada T**, Kawamura Y, Liu X, Inoue K, Sugaya N, Minato T, Nakagami R, Tochigi M, Umekage T, Kasai K, Kato N, Tani H, Okazaki Y, Kaiya H, Sasaki T*. (**equal contribution) (2009) No association between the Val66Met polymorphism of the brain-derived neurotrophic factor (BDNF) gene and panic disorder in Japanese population. *J Hum Genet* 54:437-9.

159. Koga M, Ishiguro H, Yazaki S, Horiuchi Y, Arai M, Niizato K, Iritani S, Itokawa M, Inada T, Iwata N, Ozaki N, Ujike H, Kunugi H, Sasaki T, Takahashi M, Watanabe Y, Someya T, Kakita A, Takahashi H, Nawa H, Muchardt C, Yaniv M, Arinami T. (2009) Involvement of SMARCA2/BRM in the SWI/SNF chromatin-remodeling complex in schizophrenia. *Hum Mol Genet* 18:2483-94

158. Takizawa R, Tochigi M, Kawakubo Y, Marumo K, Sasaki T, Fukuda M, Kasai K (2009) Association between Catechol-O-Methyltransferase Val108/158Met genotype and prefrontal hemodynamic response in Schizophrenia. *PLoS ONE* 4:e5495

157. Shimada H, Numazawa K, Sasaki T, Kato N, Ebisawa T. (2009) Introduction of *tau* mutation into cultured Rat1-R12 cells by gene targeting using recombinant adeno-associated virus vector. *Cell Mol Neurobiol* 29:699-705

156. Otsuka S, Sakamoto Y, Siomi H, Itakura M, Yamamoto K, Matsumoto H, Sasaki T, Kato N, Nanba E (2010) Fragile X carrier screening and FMR1 allele distribution in the Japanese population. *Brain Dev* 32:110-4.

155. Yoshikawa A, Shimada H, Numazawa K, Sasaki T, Ikeda M, Kawashima M, Kato N, Tokunaga K, Ebisawa T. (2008) Establishment of human cell lines showing circadian rhythms of bioluminescence. *Neurosci. Lett* 446:40-4

154. Ishiguro H, Koga M, Horiuchi Y, Noguchi E, Morikawa M, Suzuki Y, Arai M, Niizato K, Iritani S, Itokawa M, Inada T, Iwata N, Ozaki N, Ujike H, Kunugi H, Sasaki T, Takahashi M, Watanabe Y, Someya T, Kakita A, Takahashi H, Nawa H, Arinami T. (2010) Supportive evidence for reduced expression of GNB1L in schizophrenia. *Schizophr Bull* 36:756-65

153. Marui T, Funatogawa I, Koishi S, Yamamoto K, Matsumoto H, Hashimoto O, Nanba E, Nishida H, Sugiyama T, Kasai K, Watanabe K, Kano Y, Sasaki T, Kato N (2009) Association of the neuronal cell adhesion molecule (NRCAM) gene variants with autism. *Int J Neuropsychopharmacol* 12:1-10

152. Otowa T, Yoshida E, Sugaya N, Yasuda S, Nishimura Y, Inoue K, Tochigi T, Umekage T, Miyagawa T, Nishida N, Tokunaga K, Tani H, Sasaki T*, Kaiya H, Okazaki Y. (2009) Genome-wide association study of panic disorder in the Japanese population. *J Hum Genet* 54:122-6.
151. Takizawa R, Hashimoto K, Tochigi M, Kawakubo Y, Marumo K, Sasaki T, Fukuda M, Kasai K. (2009) Association between sigma-1 receptor gene polymorphism and prefrontal hemodynamic response induced by cognitive activation in schizophrenia. *Prog Neuro-Psychopharmacol Biol Psychiatr* 33: 491-8.
150. Nishida A, Sasaki T*, Harada S, Fukuda M, Masui K, Nishimura Y, Ikebuchi E, Okazaki Y (2009) Risk of developing schizophrenia among Japanese high-risk offspring of an affected parent: outcome of a twenty-four-year follow-up. *Psychiatr Clin Neurosci* 63:88-93.
149. Miyagawa T, Nishida N, Ohashi J, Kimura R, Fujimoto A, Kawashima M, Sasaki T, Tani H, Otowa T, Momose Y, Nakahara Y, Gotoh J, Okazaki Y, Tsuji S, Tokunaga K. (2008) Appropriate data cleaning methods for genome-wide association study. *J Hum Genet* 53 (10) 886-93.
148. Shiota S, Tochigi M, Shimada H, Ohashi J, Kasai K, Kato N, Tokunaga K, Sasaki T*. (2008) Association and interaction analyses of NRG1 and ERBB4 genes with schizophrenia in a Japanese population. *J Hum Genet* 53 (10): 929-35.
147. Yamasue H, Kakiuchi H, Tochigi M, Inoue H, Suga M, Abe O, Yamada H, Sasaki T, Rogers M, Aoki S, Kato T, Kasai K. (2008) Association between mitochondrial DNA 10398A>G polymorphism and the volume of amygdale. *Genes Brain and Behavior* 7 (6):698-704.
146. Kato C#, Tochigi M#, Ohashi J, Koishi S, Kawakubo Y, Yamamoto K, Matsumoto H, Hashimoto O, Kim S-Y, Watanabe K, Kano Y, Nanba E, Kato N, Sasaki T* (#=equal contribution) (2008) Association study of the 15q11-q13 maternal expression domain in Japanese autistic patients. *Am J Med Genet Part B (Neuropsychiatric Genet)* 147B:1008-12
145. Kakiuchi C, Ishiwata M, Nanko S, Kunugi H, Minabe Y, Nakamura K, Mori N, Fujii K, Umekage T, Tochigi M, Kohda K, Sasaki T, Yamada K, Yoshikawa T, Kato T. (2008) Association analysis of HSP90B1 with bipolar disorder. *J Hum Genet.* 52 (10) 794-803.
144. Ishiguro H, Imai K, Koga M, Horiuchi Y, Inada T, Iwata N, Ozaki N, Ujike H, Itokawa M, Kunugi H, Sasaki T, Watanabe Y, Someya T, Arinami T. (2008) Replication study for associations between polymorphisms in the CLDN5 and DGCR2 genes. *Psychiatr Genet* 18 (5): 235-6.
143. Tochigi M#, Kato C#, Ohashi J, Koishi S, Kawakubo Y, Yamamoto K, Matsumoto H, Hashimoto O, Kim S-Y, Watanabe K, Kano Y, Nanba E, Kato N, Sasaki T* (#=equal contribution) (2008) No association between the ryanodine receptor 3 gene and autism in a Japanese population. *Psychiatr Clin Neurosci* 62:341-4.
142. Kakiuchi C, Ishiwata M, Nanko S, Ozaki N, Iwata N, Umekage T, Tochigi M, Kohda K, Sasaki T, Imamura A, Okazaki Y, Kato T (2008) Up-regulation of ADM and SEPX1 in the lymphoblastoid cells of the patients in monozygotic twins discordant for schizophrenia. *Am J Med Genet Part B (Neuropsychiatric Genet)* 147B:557-64.
141. Nishida A, Tani H, Nishimura Y, Kajiki N, Inoue K, Okada M, Sasaki T, Okazaki Y (2008) Associations between psychotic-like experiences and mental health status and other psychopathologies among Japanese early teens. *Schizophrenia Res* 99:125-133.

140. Tochigi M, Iwamoto K, Bundo M, Sasaki T, Kato N, Kato T (2008) Gene expression profiling of major depression and suicide in the prefrontal cortex of postmortem brains. *Neurosci Res* 60:184-91.
139. Kato C#, Tochigi M#, Koishi S, Kawakubo Y, Yamamoto K, Matsumoto H, Hashimoto O, Kim S-Y, Watanabe K, Kano Y, Nanba E, Kato N, Sasaki T* (#:equal contribution) (2008) Association study of the commonly recognized breakpoints in chromosome 15q11-q13 in Japanese autistic patients. *Psychiatric Genet* 18:133-6.
138. Kawase E, Hashimoto K, Sakamoto H, Ino H, Katsuki N, Iida Y, Umekage T, Fukuda R, Sasaki T*. (2008) Variables associated with the need for support in mental health check-up of new undergraduate students. *Psychiatr Clin Neurosci* 62:98-102.
137. Tochigi M, Iwamoto K, Bundo M, Komori A, Sasaki T, Kato N, Kato T. (2008) Methylation status of the reelin promoter region in the brain of schizophrenic patients. *Biol Psychiatry* 63:160-163.
136. Ohtani T, Sasaki T, Kadomoto I, Kato N, Yoshinaga C. (2008) Birth months and vulnerability to juvenile delinquency. *Prog Neuropsychopharmacol Biol Psychiatry* 32: 49-53.

依頼原稿など

113. 佐々木司 (2018) 精神科専門医からのアドバイスQ & A. (芦川恵美. メンタルヘルスのヒヤリ・ハット. (事例から学ぶ「養護教諭のヒヤリ・ハット」part2 連載第11回). 健康教室 807:pp49.
112. 佐々木司 (2017) 「思春期の子供の精神保健リテラシーに対する学校教育の効果：非無作為化クラスター対照試験による検証 (Skre他)」の紹介. (国際交流委員会企画－学校保健の新知見を学ぶ：易しい英文論文読解, 第2回). 学校保健研究 59(5): 379-381.
111. 佐々木司 (2017) 児童生徒のメンタルヘルス. 日本学校保健会 (編) 学校保健の動向平成29年度版. pp80-87. 公益財団法人日本学校保健会(東京).
110. 佐々木司 (2017) 「心の病」を防ぐ「生活」－睡眠をはじめとする生活習慣を改善し「心の病」を未然に防ぐ. 総合教育技術 (小学館) 11月号増刊. pp124-126.
109. 佐々木司、北川裕子 (2017) 子どもの頃のいじめ被害と成人後の精神疾患との関わり (国際交流委員会企画－学校保健の新知見を学ぶ：易しい英文論文読解, 第1回). 学校保健研究 59(4): 295-297.
108. 佐々木司 (2017) 思春期の精神疾患. 最新保健情報資料2017 (教授用資料). pp11-15. 大修館書店 (東京).
107. 佐々木司 (2017) 社交不安症の臨床評価と心理教育. 小山司 (編) 社交不安症 UPDATE: エスシタロプラムによるアプローチを中心に. pp87-94, 先端医学社 (東京).
106. 佐々木司 (2016) 統合失調症の周産期リスク. 精神科臨床Legato 2(3);122-126.
105. 佐々木司、岩見千景、道上恵美子 (2016) 過呼吸 (過換気) 症候群への対応. In: 毎日

の勤務とその工夫. 第4章-32. 第一法規 (東京).

104. 櫻井芽久美、佐々木司 (2016) 小規模多機能型居宅介護を中心とした地域包括ケア. 精神科 29: 55-57.

103. 小塩靖崇、佐々木司 (2016) 専門家として学校教員とどう関わるか: 教員の潜在力を呼び覚ます保健教育の出発を. 体育科教育 64(6): 36-39.

102. 小塩靖崇、芦川恵美、道上恵美子、大沼久美子、種市摂子、佐々木司. (2016) 学校教育で精神疾患を教えることの意義と課題. 精神科治療学 31 (4);465-470.

101. 佐々木司 (2016) こころの健康、特に「10代の自殺死亡率」問題を中心に. 母子保健情報誌 1:14-20.

100. 小塩靖崇、佐々木司 (2015) 思春期のメンタルヘルスリテラシー. 長谷川壽一 (監修): 思春期学. pp273-278 (コラム6), 東京大学出版会 (東京).

99. 杉本美穂子 音羽健司 佐々木司. (2015) 精神神経疾患のゲノム研究: 失われた遺伝率の謎を求めて. 不安症でわかったこと. 臨床精神医学 44 (10): 1365-1375.

98. 佐々木司 (2015) 地下鉄サリン事件とは. 精神科 26(5):323-326

97. 北川裕子, 佐々木司 (2014) 思春期の若者の精神的不調に対する援助希求行動を促進・妨害する要因 一諸外国の研究動向を概観して一. 精神科 24(6)663-669.

96. 音羽健司、佐々木司 (2014) 不安症について. 特集 DSM-5発行にともなう病名変更と診断基準の変更 こころと社会 157: 32-37

95. 桑原斉、加藤佳代子、佐々木司 (2014) DSM-5における「自閉症スペクトラム」一何がどう変わったか? こころの科学 174: 22-28

94. Ojio Y, Ohnuma K, Miki T, Sasaki T*. (2015) Development of a mental health literacy program for secondary school students in Japan. (Chapter 13) In: School Mental Health –Global Challenges and Opportunities, Kutcher S, Wei Y, and Weist M(Eds), Cambridge University Press, Cambridge: 139-150.

93. 佐々木司 (2013) 第1章 双生児の医学とデータベース.
東京大学教育学部附属中等教育学校 (編)、ふたごと教育-双生児研究から見える個性. 東京大学出版会 (東京).

92. 小塩靖崇、股村美里、佐々木司 (2013) 日本におけるメンタルヘルスリテラシー教育. 精神科 22:12-19.

91. 中村亨、武井邦夫、種市摂子、金鎮赫、佐々木司、山本義春.(2013) 潜在する双極性障害患者を見つけるために 一行動解析の観点から一. 精神科. 22(6): 599-604

90. 桑原斉、佐々木司 (2013) 自閉症スペクトラムの分子遺伝学. 最新医学 68巻9月増刊号(通巻870号) 120-132

89. 佐々木司、(2012) 臨床研究者としての偉大な足跡. 日本の睡眠学 - 先達にきく - 169-178
88. 桑原斉、江里口陽介、音羽健司、佐々木司 (2012) 自閉症スペクトラム障害とゲノムとの関わり. *Journal of Clinical Rehabilitation* 21:1210-1217.
87. 佐々木司、片岡聡 (2011) ASD圏学生の就職支援に関連して. *精神療法* 37: 68-70.
86. 音羽健司、佐々木司 (2011) 自閉症スペクトラム障害の遺伝子研究. *分子精神医学* 11 :282-288
85. 大内佑子、佐々木司 (2010) 大学生の睡眠関連問題と予防. *精神科* 17 :339-344
84. 佐々木司 (2010) 大学・大学院における自閉症スペクトラムの学生. *精神科治療学* 25 :1647-1652
83. 佐々木司 (2010) パニック障害とその対処. *心の健康ニュース* (少年写真新聞社) 第362号付録 5-6
82. 東郷史治、佐々木司、山本義春 (2010) 毎日行える運動. *精神科* 17 :173-178
81. 佐々木司、森健治、岡田俊、岡靖哲、堀内史枝、鈴木周平、十一元三、近藤富香 (2010) 自閉症遺伝子に関する研究. *発達障害医学の進歩* 22 :1-6.
80. 佐々木司 (2010) パニック障害に対する薬物療法. *内科* 105:259-262.
79. 音羽健司、佐々木司 (2010) パニック障害の遺伝子. *分子精神医学* 10:46-50.
78. 佐々木司. 自閉症の全ゲノム関連解析. *精神科* (印刷中) .
77. 古川賢臣、佐々木司. アスペルガー障害の疫学と遺伝. *精神科* (印刷中)
76. 音羽健司、佐々木司 (2009) 不安障害とゲノミックス. *臨床精神医学* 38 (8月号、印刷中) .
75. 佐々木司 (2009) 遺伝学. 金生由紀子、下山晴彦編:精神医学を知る (メンタルヘルス専門職のために) . Pp271-293, 東京大学出版会 (東京) .
74. 音羽健司、佐々木司 (2009) パニック障害の全ゲノム関連研究. *医学のあゆみ* 229, 191-194.
73. 栃木衛、佐々木司 (2009) 遺伝子解析. 松本英夫、飯田順三編:子どもの精神病性障害. I. 統合失調症. pp94-101, 中山書店 (東京) .
72. 島田隆史、佐々木司 (2008) AD/HDの遺伝子. *精神科* 12:262-8.
71. 島田隆史、佐々木司 (2008) ADHDとレストレスレッグ症候群の遺伝子. *臨床精神医学*